

\$ FOR PRICE LISTING
GO TO PAGE 317

PLASMA CUTTING

Replacement Parts

Suitable For HYPERTHERM


Torch Model	Power Supply Model
-------------	--------------------

PAC 135	POWERMAX 1100™
T-2237* Hand Shield	T-2241* Retaining Cap, 40 Amp
T-2238* Machine Shield	T-2240* Retaining Cap
T-2239 Deflector	T-2246* Electrode
	T-2247 Electrode, Extended
	T-2245 Swirl Ring
	T-2531 Nozzle, 80 Amp
	T-2530 Nozzle, 40 Amp
	T-2527 Tip Spring
	T-2532 Nozzle, Extended
	T-2344* Nozzle Gouging
	T-2343* Gouging Shield
	T-537* Hand Torch
	T-2528* Machine Torch

ITEMS NOT SHOWN

REQUIREMENTS

Gas: Air, Nitrogen
Pressure: 65 psi
Flow: 6,7 scfm



Our unique nozzle design for the PAC 135 torch features a reusable spring. On the current OEM parts, the springs are locked onto the nozzle and are thrown away every time the nozzle is changed. Now you can order the 40 Amp, 80 Amp or extended nozzles and springs under separate part numbers and change the spring from nozzle to nozzle, saving the cost of the spring on every new nozzle changed. Please use our T-2527 separately for whichever nozzle you

Suitable For HYPERTHERM

Torch Model	Power Supply Model
-------------	--------------------


T60™, T60M™, T80™, T80M™, T100™, T100M™ | **POWERMAX 1000™, 1250™, 1650™**

T-3725 Shield, Hand, 40 - 80 Amp	T-3727 Shield Cap 40 - 80 Amp	T-3730 Electrode 40 - 80 Amp	T-3731 Swirl Ring 40 - 80 Amp
T-3726 Shield Machine, 40 - 80 Amp			
T-3732 Shield, Gouging			
T-4132 Shield, Hand, 100 Amp	T-4133 Shield Cap 100 Amp	T-4164 Electrode 100 Amp	T-4135 Swirl Ring 100 Amp
T-4137 Shield, Machine, 100 Amp			
T-3737 *Deflector			
		T-3889 *Nozzle, Extended, 40 Amp	
		T-4572 *Nozzle, Extended, 60 Amp	
		T-3892 *Nozzle, Extended, 80 Amp	
		T-4138 *Nozzle, Extended, 100 Amp	
		T-3943 Nozzle, Gouging, 60 Amp	
		T-3734 Nozzle, Gouging, 80 Amp	
		T-4136 Nozzle, Gouging, 100 Amp	

Suitable For HYPERTHERM

Torch Model	Power Supply Model
-------------	--------------------

PAC 140	MAX40®, HT40®
T-050 Nozzle, Extended	T-054 Electrode, Extended
T-046 Nozzle, Machine	T-053 Electrode, Nitrogen
T-043 Retaining Cap	T-051 Swirl Ring
T-045 Nozzle, Hand	T-052 Electrode, Air
T-096 Gouging Nozzle	
T-047 Pipe Nozzle	T-095 Torch Insulator
T-048 Nozzle, Hi-Visibility	T-038 O-Ring
T-044 Retaining Cap, Tapered	
	T-055 Torch W/Handle
	T-056 Machine Torch



REQMT'S

Gas: Air, Nitrogen
Pressure: 60 psi
Flow: 4,0 scfm

Accessories Suitable For HYPERTHERM

Torch Model	Power Supply Model
-------------	--------------------

HAND TORCH | **PAC 140** | **MAX40®, HT40®**

T-055	T-684 Lead Insulator (2)	T-1039 Splice (2)	T-701 Control Cable	T-1040 Handle W/Switch
				T-700 Sheathing, Hand
				T-694 Leads, 25' Shielded
				T-695 Leads, 35' Shielded
				T-696 Leads, 50' Shielded
				T-697 Leads, 25' Hand
				T-698 Leads, 50' Hand

MACHINE TORCH	T-056	T-679 Lead Insulator	T-699 Shielded Braid, Mach
		T-685 Lead, Power, 25'	
		T-687 Lead, Power, 35'	
		T-689 Lead, Power 50'	
		T-686 Lead, Hi-Frequency, 25'	
		T-688 Lead, Hi-Frequency, 35'	
		T-690 Lead, Hi-Frequency, 50'	
		T-681 Insulator Sleeve w/o Rack	
		T-682 Positioning Sleeve, 10" Rack	
		T-683 Positioning Sleeve, 18" Rack	

ITEMS NOT SHOWN

- T-644 Switch
- T-704 *Mach Torch w/25' Leads
- T-705 *Mach Torch w/50' Leads
- T-706 Mach Torch w/ 25' Leads
- T-707 Mach Torch w/50' Leads
- T-709 Hand Torch w/50' Leads
- T-994 Silicone Grease



*No Assembly